
	ITTC – Recommended Procedures and Guidelines		7.5 - 02 01 - 03 Page 1 of 6	
	Testing and Extrapolation Methods, General Density and Viscosity of Water		Effective Date 2006	Revision 01

Table of Contents

1. DENSITY AND VISCOSITY OF FRESH WATER AND SEA WATER..... 2 1.1 Formula Given in 1963: 2 1.2.1 Values of Mass Density for Fresh Water 3 1.2.2 Values of Mass Density for Salt Water 4	1.2.3 Values of Kinematic Viscosity for Fresh Water 5 1.2.4 Values of Kinematic Viscosity for Salt Water..... 6
---	--


Edited by 22 nd ITTC QS Group 1999	Approved
ITTC 1963 10 th pp 288 - 294	10 th ITTC 1963
Date	Date

	ITTC – Recommended Procedures and Guidelines		7.5 - 02 01 - 03 Page 2 of 6	
	Testing and Extrapolation Methods, General Density and Viscosity of Water		Effective Date 2006	Revision 01

1. DENSITY AND VISCOSITY OF FRESH WATER AND SEA WATER

1.1 Formula Given in 1963:

Formula by Hardy for viscosity of salt water: $\nu_s = \frac{K}{1 + 0.03338T + 0.00018325T^2} \nu_0$. Where $K = 1.052$, ν_s is the viscosity of seawater at T °C and $\nu_0 = 0.001787$ Pa s that of fresh water at 0°C

	ITTC – Recommended Procedures and Guidelines	7.5 - 02 01 - 03 Page 3 of 6	
	Testing and Extrapolation Methods, General Density and Viscosity of Water	Effective Date 2006	Revision 01

1.3 Tables Given In 1963

TABLE 1

1.2.1 Values of Mass Density for Fresh Water

Temperature in degrees Centigrade

ρ in metric units of $\frac{kg s^2}{m^4}$

°C	ρ	°C	ρ
0	101.95	16	101.86
1	101.95	17	101.84
2	101.96	18	101.82
3	101.96	19	101.80
4	101.96	20	101.78
5	101.96	21	101.76
6	101.96	22	101.74
7	101.95	23	101.71
8	101.95	24	101.69
9	101.94	25	101.66
10	101.93	26	101.64
11	101.92	27	101.61
12	101.91	28	101.58
13	101.90	29	101.55
14	101.88	30	101.52
15	101.87		



**ITTC – Recommended
Procedures and Guidelines**

**7.5 - 02
01 - 03**
Page 4 of 6

**Testing and Extrapolation Methods,
General
Density and Viscosity of Water**

Effective Date
2006

Revision
01

TABLE 2

1.2.2 Values of Mass Density for Salt Water

Temperature in degrees Centigrade

ρ in metric units of $\frac{kg s^2}{m^4}$

Salinity 3.5%

°C	ρ	°C	ρ
0	104.83	16	104.59
1	104.82	17	104.56
2	104.81	18	104.54
3	104.81	19	104.52
4	104.80	20	104.49
5	104.79	21	104.46
6	104.77	22	104.43
7	104.76	23	104.40
8	104.74	24	104.37
9	104.73	25	104.34
10	104.71	26	104.31
11	104.69	27	104.28
12	104.68	28	104.24
13	104.65	29	104.21
14	104.63	30	104.18
15	104.61		



ITTC – Recommended Procedures and Guidelines

7.5 - 02
01 - 03
Page 5 of 6

Testing and Extrapolation Methods, General Density and Viscosity of Water

Effective Date
2006

Revision
01

TABLE 3

1.2.3 Values of Kinematic Viscosity for Fresh Water

Temperature in degrees Centigrade

ν in metric units of $\frac{m^2}{s} 10^6$

°C	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
0.	1.78667	1.78056	1.77450	1.76846	1.76246	1.75648	1.75054	1.74461	1.73871	1.73285
1.	1.72701	1.72121	1.71545	1.70972	1.70403	1.69836	1.69272	1.68710	1.68151	1.67594
2.	1.67040	1.66489	1.65940	1.65396	1.64855	1.64316	1.63780	1.63247	1.62717	1.62190
3.	1.61665	1.61142	1.60622	1.60105	1.59591	1.59079	1.58570	1.58063	1.57558	1.57057
4.	1.56557	1.56060	1.55566	1.55074	1.54585	1.54098	1.53613	1.53131	1.52651	1.52173
5.	1.51698	1.51225	1.50754	1.50286	1.49820	1.49356	1.48894	1.48435	1.47978	1.47523
6.	1.47070	1.46619	1.46172	1.45727	1.45285	1.44844	1.44405	1.43968	1.43533	1.43099
7.	1.42667	1.42238	1.41810	1.41386	1.40964	1.40543	1.40125	1.39709	1.39294	1.38882
8.	1.38471	1.38063	1.37656	1.37251	1.36848	1.36445	1.36045	1.35646	1.35249	1.34855
9.	1.34463	1.34073	1.33684	1.33298	1.32913	1.32530	1.32149	1.31769	1.31391	1.31015
10.	1.30641	1.30268	1.29897	1.29528	1.29160	1.28794	1.28430	1.28067	1.27706	1.27346
11.	1.26988	1.26632	1.26277	1.25924	1.25573	1.25223	1.24874	1.24527	1.24182	1.23838
12.	1.23495	1.23154	1.22815	1.22478	1.22143	1.21809	1.21477	1.21146	1.20816	1.20487
13.	1.20159	1.19832	1.19508	1.19184	1.18863	1.18543	1.18225	1.17908	1.17592	1.17278
14.	1.16964	1.16651	1.16340	1.16030	1.15721	1.15414	1.15109	1.14806	1.14503	1.14202
15.	1.13902	1.13603	1.13304	1.13007	1.12711	1.12417	1.12124	1.11832	1.11542	1.11254
16.	1.10966	1.10680	1.10395	1.10110	1.09828	1.09546	1.09265	1.08986	1.08708	1.08431
17.	1.08155	1.07880	1.07606	1.07334	1.07062	1.06792	1.06523	1.06254	1.05987	1.05721
18.	1.05456	1.05193	1.04930	1.04668	1.04407	1.04148	1.03889	1.03631	1.03375	1.03119
19.	1.02865	1.02611	1.02359	1.02107	1.01857	1.01607	1.01359	1.01111	1.00865	1.00619
20.	1.00374	1.00131	0.99888	0.99646	0.99405	0.99165	0.98927	0.98690	0.98454	0.98218
21.	0.97984	0.97750	0.97517	0.97285	0.97053	0.96822	0.96592	0.96363	0.96135	0.95908
22.	0.95682	0.95456	0.95231	0.95008	0.94786	0.94565	0.94345	0.94125	0.93906	0.93688
23.	0.93471	0.93255	0.93040	0.92825	0.92611	0.92397	0.92184	0.91971	0.91760	0.91549
24.	0.91340	0.91132	0.90924	0.90718	0.90512	0.90306	0.90102	0.89898	0.89695	0.89493
25.	0.89292	0.89090	0.88889	0.88689	0.88490	0.88291	0.88094	0.87897	0.87702	0.87507
26.	0.87313	0.87119	0.86926	0.86734	0.86543	0.86352	0.86162	0.85973	0.85784	0.85596
27.	0.85409	0.85222	0.85036	0.84851	0.84666	0.84482	0.84298	0.84116	0.83934	0.83752
28.	0.83572	0.83391	0.83212	0.83033	0.82855	0.82677	0.82500	0.82324	0.82148	0.81973
29.	0.81798	0.81625	0.81451	0.81279	0.81106	0.80935	0.80765	0.80596	0.80427	0.80258
30.	0.80091	0.79923	0.79755	0.79588	0.79422	0.79256	0.79090	0.78924	0.78757	0.78592


	ITTC – Recommended Procedures and Guidelines	7.5 - 02 01 - 03 Page 6 of 6	
	Testing and Extrapolation Methods, General Density and Viscosity of Water	Effective Date 2006	Revision 01

TABLE 4

1.2.4 Values of Kinematic Viscosity for Salt Water

Temperature in degrees Centigrade

ν in metric units of $\frac{m^2}{s} 10^6$

Salinity 3.5%

°C	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
0.	1.82844	1.82237	1.81633	1.81033	1.80436	1.79842	1.79251	1.78662	1.78077	1.77494
1.	1.76915	1.76339	1.75767	1.75199	1.74634	1.74072	1.73513	1.72956	1.72403	1.71853
2.	1.71306	1.70761	1.70220	1.69681	1.69145	1.68612	1.68082	1.67554	1.67030	1.66508
3.	1.65988	1.65472	1.64958	1.64446	1.63938	1.53432	1.62928	1.62427	1.61929	1.61433
4.	1.60940	1.60449	1.59961	1.59475	1.58992	1.58511	1.58032	1.57556	1.57082	1.56611
5.	1.56142	1.55676	1.55213	1.54752	1.54294	1.53838	1.53383	1.52930	1.52479	1.52030
6.	1.51584	1.51139	1.50698	1.50259	1.49823	1.49388	1.48956	1.48525	1.48095	1.47667
7.	1.47242	1.46818	1.46397	1.45978	1.45562	1.45147	1.44735	1.44325	1.43916	1.43508
8.	1.43102	1.42698	1.42296	1.41895	1.41498	1.41102	1.40709	1.40317	1.39927	1.39539
9.	1.39152	1.38767	1.38385	1.38003	1.37624	1.37246	1.36870	1.36496	1.36123	1.35752
10.	1.35383	1.35014	1.34647	1.34281	1.33917	1.33555	1.33195	1.32837	1.32481	1.32126
11.	1.31773	1.31421	1.31071	1.30722	1.30375	1.30030	1.29685	1.29343	1.29002	1.28662
12.	1.28324	1.27987	1.27652	1.27319	1.26988	1.26658	1.26330	1.26003	1.25677	1.25352
13.	1.25028	1.24705	1.24384	1.24064	1.23745	1.23428	1.23112	1.22798	1.22484	1.22172
14.	1.21862	1.21552	1.21244	1.20938	1.20632	1.20328	1.20027	1.19726	1.19426	1.19128
15.	1.18831	1.18534	1.18239	1.17944	1.17651	1.17359	1.17068	1.16778	1.16490	1.16202
16.	1.15916	1.15631	1.15348	1.15066	1.14786	1.14506	1.14228	1.13951	1.13674	1.13399
17.	1.13125	1.12852	1.12581	1.12309	1.12038	1.11769	1.11500	1.11232	1.10966	1.10702
18.	1.10438	1.10176	1.09914	1.09654	1.09394	1.09135	1.08876	1.08619	1.08363	1.08107
19.	1.07854	1.07601	1.07350	1.07099	1.06850	1.06601	1.06353	1.06106	1.05861	1.05616
20.	1.05372	1.05129	1.04886	1.04645	1.04405	1.04165	1.03927	1.03689	1.03452	1.03216
21.	1.02981	1.02747	1.02514	1.02281	1.02050	1.01819	1.01589	1.01360	1.01132	1.00904
22.	1.00678	1.00452	1.00227	1.00003	0.99780	0.99557	0.99336	0.99115	0.98895	0.98676
23.	0.98457	0.98239	0.98023	0.97806	0.97591	0.97376	0.97163	0.96950	0.96737	0.96526
24.	0.96315	0.96105	0.95896	0.95687	0.95479	0.95272	0.95067	0.94862	0.94658	0.94455
25.	0.94252	0.94049	0.93847	0.93646	0.93445	0.93245	0.93046	0.92847	0.92649	0.92452
26.	0.92255	0.92059	0.91865	0.91671	0.91478	0.91286	0.91094	0.90903	0.90711	0.90521
27.	0.90331	0.90141	0.89953	0.89765	0.89579	0.89393	0.89207	0.89023	0.88838	0.88654
28.	0.88470	0.88287	0.88105	0.87923	0.87742	0.87562	0.87383	0.87205	0.87027	0.86849
29.	0.86671	0.86494	0.86318	0.86142	0.85966	0.85792	0.85619	0.85446	0.85274	0.85102
30.	0.84931	0.84759	0.84588	0.84418	0.84248	0.84079	0.83910	0.83739	0.83570	0.83400